

10/807.694
EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	0	((update near2 (agent or server)) same (correspond\$3 near3 (update or modif\$7 or upgrade) near4 type)) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:16
L6	0	((update near2 (agent or server)) same (correspond\$3 near3 ((update or modif\$7 or upgrade) near4 type))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:21
L7	0	((update near2 (agent or server)) same ((correspond\$3 or "base on") near3 ((update or modif\$7 or upgrade) near4 type))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:21
L8	0	((update near2 (agent or server or module)) same ((correspond\$3 or "base on") near3 ((update or modif\$7 or upgrade) near4 type))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:24
L9	0	((update near2 (agent or server or module)) same ((correspond\$3 or "base on" or accord\$3) near3 ((update or modif\$7 or upgrade) near4 type))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:24
L10	0	((update near2 (agent or server or module)) same ((correspond\$3 or "base on" or accord\$3) near3 ((update or modif\$7 or upgrade) near3 type))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:24

EAST Search History

L11	58	((update near2 (agent or server or module or tool)) near7 correspond\$3) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:30
L12	43	((update near2 (agent or server or module or tool)) near5 correspond\$3) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:30
L13	32	((update near2 (agent or server or module or tool)) near3 correspond\$3) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:30
L14	25	((update near2 (agent or server or module or tool)) near2 correspond\$3) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:30
L17	45	rao-bindu-rama.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 17:07
L18	0	L17 and ("update agent" and "correspond" same "selected update agent")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 17:07
L19	0	L17 and ("update agent" and ("correspond" same "selected update agent"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 17:08
L20	0	L17 and ("parameter" and "data" and ("correspond" same "selected update agent"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 17:08

EAST Search History

L21	2	L17 and ("parameter" and "data" and ("correspond" same "update agent"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 17:08
S44	21	((update near2 (agent or server)) near5 (specific near3 (update or modif\$7))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 15:39
S49	7	((update near2 (agent or server)) near5 (correspond\$3 near3 (update or modif\$7 or upgrade))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 10:48
S50	10	((update near2 (agent or server)) near5 (correspond\$3 near3 (update or modif\$7 or upgrade or agent))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:15
S51	16	((update near2 (agent or server or module or tool)) near5 (correspond\$3 near3 (update or modif\$7 or upgrade))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:59
S52	18	((update near2 (agent or server or module or tool)) near7 (correspond\$3 near3 (update or modif\$7 or upgrade))) and (@ad<"20030324" or @prad<"20030324" or @rlad<"20030324"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 15:29